



City of Newport

998 Monmouth Street, Newport, KY 41071
859-292-3668 www.newportky.gov

INVITATION TO BID

Sealed bids are now being accepted by the City of Newport, Kentucky, in the Office of the City Clerk located at 998 Monmouth Street, 2nd Floor, Newport, Kentucky, 41071 until 4:00 p.m. on Friday, May 8, 2015 and then publicly opened and read aloud in the Multi-Purpose Room, 1st Floor of the Newport Municipal Building at 998 Monmouth for **“Replacement Dump Beds and Equipment for Dump Truck.”**

Copies of the Specification Documents may be obtained or examined in the Office of the City Clerk, 998 Monmouth Street, 2nd Floor, Newport, Kentucky 41071 or at www.newportky.gov.

Pursuant to specifications on file in the Office of the City Clerk of the City of Newport two copies of proposals are to be submitted in a sealed envelope labeled as follows:

“Replacement Dump Beds and Equipment”

Successful vendor must be an Equal Employment Opportunity Employer, which prohibits discrimination because of race, creed, color, national origin, sex, age, handicap, political affiliation or beliefs. The City of Newport is an Equal Employment Opportunity Employer.

The City of Newport intends to award the contract to the lowest responsible vendor. The City reserves the right to reject any or all proposal and to waive any informalities or irregularities in the proposals received.

Any and all questions dealing with this proposal should be reduced to writing and faxed to Amy Able, City Clerk at (859) 292-3669 or emailed to aable@newportky.gov.

CITY OF NEWPORT, KENTUCKY

Amy Able, City Clerk

Published on April 28, 2015 at www.newportky.gov in accordance with KRS 43A.365(3).



City of Newport

998 Monmouth Street, Newport, KY 41071

859-292-3668 www.newportky.gov

BID SPECIFICATION

THE CITY OF NEWPORT, KENTUCKY

Replacement Dump Beds and Equipment for Dump Truck

It is the intent of these documents to describe a Nine (9) foot stainless steel dump bed to be installed on a Ford F-550 chassis. The dump bed will be required to fit the chassis and be constructed of 304 stainless steel and be equipped with a stainless steel tailgate and a stainless steel center discharge under gate salt gate spreader. All equipment must function from the existing hydraulic system and controls. Necessary equipment for the Dump beds to function shall be included as part of the bid. It will be assumed that the current Hydraulic system and controls are functional. The bidder must verify that the existing hydraulic systems and components are adequate for the new bed and equipment. The successful bidder will be required to remove the old bed and equipment and dispose of it and to transfer or relocate any equipment as necessary so as to deliver upon completion a full functioning Dump truck with a salt spreader. No existing equipment that is not associated with the dump bed or salt spreader is to be removed with the approval of the City of Newport.

- Truck #35 is a 2003 Ford F550 DRW 4x4 diesel equipped with a steel dump bed tailgate spreader and Western Pro Plow
- Truck #38 is a 2005 Ford F550 DRW 4x4 diesel equipped with a steel dump bed tailgate spreader and Western Pro Plow

Bidders can inspect the two dump truck chassis and are encouraged to do so before entering a bid. The trucks are located at the City of Newport Public Works Garage at 1020 East Ninth Street, Newport, Kentucky and can be viewed by scheduling an appointment with the Public Works Director, Doug Roell at 859.912.2541.

BID FORM
Replacement Dump Beds and Equipment for Dump Truck

- Removal of existing dump body/hoist/hydraulics
\$_____ EACH

- Furnish and Install nine (9) foot dump body 304 Stainless Steel 2B construction , Stainless steel floor, fully welded, 45 degree dirt sheading rub rails, EZ latch tailgate, 17 inch double wall solid sides, 23 inch three panel tailgate, fully boxed top rail and tailgate, 2 inch floor to side radius, continuous welded, side board pockets, full depth rear corner post, ¼ cab shield 10 gauge with Lexan cover, double action scissor hoist 9 ton (NTEA class 40) with sub-frame operating on existing central hydraulics. Body prop. Install 2 light stainless steel enclosure mounted to the rear corner posts and recess oval grommet LED stop tail turn lights and amber strobe oval grommet mount.
\$_____ EACH

- Remove existing hydraulic valve and relocate to new sub-frame, transfer reservoir, install new hoses to hoist and salt spreader. Install new spreader disconnects. Not to include repairs to any existing hydraulics. Quote is to assume hydraulics and spreader control is in good working condition.
\$_____ EACH

- Furnish and install Buyers under gate salt spreader, high torque direct drive auger motor, stainless spinner assembly, stainless quick change mounting brackets, hoses disconnects, poly spinner. Construction is all 304 stainless steel. Easy empty clean out pan and center discharge.
\$_____ EACH

- Furnish and install Fleet brand Poly fenders or equivalent over the rear wheels
\$_____ EACH
- Furnish and Install Buyers or equivalent 16 Inch Mini bar with amber LED strobes mounted to a swivel bracket on nose of cab shield.
\$_____ EACH
- Furnish and Install Buyers or equivalent LED spreader light.
\$_____ EACH
- Furnish and Install a manually operated Buyers or equivalent tarp with crank handle.
\$_____ EACH
- Furnish and Install Code 3 or equivalent LED strobes (4 diode) in grille and switched in the cab.
\$_____ EACH

Total Bid \$_____ **EACH**

GRAND TOTAL \$_____

NAME OF AUTHORIZED OFFICIAL

COMPANY NAME

TITLE

ADDRESS

SIGNATURE

CITY/STATE/ZIP CODE

DATE

PHONE NUMBER

COMPANY FEDERAL ID#

EMAIL ADDRESS